

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 2003

[Full Table of Content](#)

Results of the
Classical
and other
Long-term Experiments
2003

Rothamsted Research

03/R/CS/477 - Rothamsted Continuous Maize

Rothamsted Research

Rothamsted Research (2004) *03/R/CS/477 - Rothamsted Continuous Maize ; Yields Of The Field Experiments 2003*, pp 30 - 31 - DOI: <https://doi.org/10.23637/ERADOC-1-260>

03/R/CS/477

CONTINUOUS MAIZE

Object: To monitor the fate of organic carbon in the soil organic matter - Hoosfield.

Sponsors: P.R. Poulton.

The sixth year, forage maize and s. barley.

For previous years see 97-02/R/CS/477

Design: 3 randomised blocks of 6 plots.

Plot dimensions: 12.0 x 25.0.

Treatments:-

CROP	Crop and straw treatments:
M	Continuous maize, stubble incorporated
(M)B	S. barley after five years maize, stubble incorporated
MT	Maize, stubble plus 10 t maize tops incorporated
(B)M	Maize, after three years of s. barley with straw removed
BT	Continuous spring barley, straw removed plus 10 t maize tops incorporated
B	Continuous spring barley, straw removed

Experimental diary:

12-Sep-02 : T : BT, MT: Maize tops at 300 kg per plot
16-Oct-02 : B : : Muriate of potash at 181 kg.
: B : : Triple superphosphate at 170 kg.
18-Oct-02 : B : : Ploughed 25 cm wide furrows.
19-Mar-03 : B : : Springtined.
: T : (M)B, BT, B: Combination drilled, Optic, tr. Raxil S, at 350 seeds/m² with the Accord 2 drill.
: T : (M)B, BT, B: Rolled.
11-Apr-03 : T : (B)M, MT, M: Sting Eco at 4.0 l in 200 l.
14-Apr-03 : B : : Sulphur Gold (30% N, 7.6% S) at 317 kg.
23-Apr-03 : T : (M)B, BT, B: tm)Ally at 30 g in 200 l.
: T : (M)B, BT, B: tm)Oxytril CM at 0.75 l in 200 l.
30-Apr-03 : T : (B)M, MT, M: Springtined.
01-May-03 : T : (B)M, MT, M: Springtined.
07-May-03 : T : (B)M, MT, M: Power harrowed.
: T : (B)M, MT, M: Drilled, Hudson, tr. Mesurol, at 10 seeds/m² with the Nodet Gougis drill.
11-May-03 : T : (M)B, BT, B: tm)Opus at 0.25 l in 200 l.
: T : (M)B, BT, B: tm)Unix at 0.4 kg in 200 l.
: T : (M)B, BT, B: tm)Amistar at 0.4 l in 200 l.
08-Jun-03 : T : (M)B, BT, B: tm)Opus at 0.25 l in 200 l.
: T : (M)B, BT, B: tm)Acanto at 0.4 l in 200 l.
16-Jun-03 : T : (B)M, MT, M: tm)Gesaprim at 3.0 l in 200 l.
: T : (B)M, MT, M: tm)Phase II at 2.0 l in 200 l.
28-Jul-03 : T : (M)B, BT, B: tm)Touchdown at 4.0 l in 200 l.
04-Aug-03 : T : (M)B, BT, B: Combine harvested plots for yield.
07-Aug-03 : T : (M)B, BT, B: Baled.
20-Aug-03 : T : (B)M, MT, M: Cut sample areas by hand, weighed and sampled.
29-Aug-03 : T : (B)M, MT, M: Cut discards.

NOTE: Forage maize and barley grain samples were taken for N analysis.

03/R/CS/477

MAIZE

GRAIN TONNES/HECTARE

***** Tables of means *****

CROP	
M	8.16
(B)M	7.59
MT	8.06
Mean	7.94

*** Standard errors of differences of means ***

CROP
1.198

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	1.467	18.5

GRAIN MEAN DM% 25.8
PLOT AREA HARVESTED 0.00108

SPRING BARLEY

GRAIN TONNES/HECTARE

***** Tables of means *****

CROP	
(M)B	6.63
BT	6.08
B	5.90
Mean	6.20

*** Standard errors of differences of means ***

CROP
0.202

***** Stratum standard errors and coefficients of variation *****

Stratum	d.f.	s.e.	cv%
Blocks.Plots	4	0.248	4.0

GRAIN MEAN DM% 89.6
PLOT AREA HARVESTED 0.00525