This work is licensed under a Creative Commons Attribution 4.0 International License.

Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readible, or you suspect there are some problems, please let us know and we will correct that.

Results of the Classical and Other Long-term Experiments 2022

Full Table of Content

22/R/EX/4 - Exhaustion Land (Hoosfield)

Rothamsted Research

Rothamsted Research (2024) *22/R/EX/4 - Exhaustion Land (Hoosfield) ;* Results Of The Classical And Other Long-Term Experiments 2022, pp 18 - 21

This work is licensed under a Creative Commons Attribution 4.0 International License.

22/R/EX/4 EXHAUSTION LAND (Hoosfield)

Object: To study the residual effects of manures applied 1856 - 1901, and of additional phosphate applied since 1986 (P test) and of additional potassium since 2007 (K test); on the yield of continuous spring barley up to 1991, winter wheat since – Hoosfield.

The 167th year, winter wheat.

For previous years see 'Details' 1977, 1973 and Yield Books for 74-21/R/EX/4

Treatments: All combinations of:

Whole plots (P test)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

Main plot

01	O	None
03	D	Farmyard manure at 35 t (fresh weight)
05	N	96 kg N as ammonium salts
09	P	34 kg P as superphosphate
07	NPKNaMg	N and P as above plus 137 kg K as sulphate of potash, 16 kg Na as sulphate of soda, 11 kg Mg as sulphate of magnesia

2. P Maintenance P (20 kg P) applied annually from 2000

to maintain existing levels of available P In the soil. In 2009 maintenance P applications were changed from 20 kg P/ha to 15 kg P/ha. This was not recorded in the yield books for 2009-13. (P1) (P2) and (P3) are residues of P applied annually. From 2016 onward P was withheld from the P(P1) sub-plots.

1986–1992:

	1986-1992	2000-2008	2009-2015	2016-
O	None	None	None	None
P (P1)	44 kg P	20 kg P	15 kg P	None
P (P2)	87 kg P	20 kg P	15 kg P	15 kg P
P (P3)	131 kg P	20 kg P	15 kg P	15 kg P

NOTE: P treatments were applied at 61.5 kg P in error in 2000.

Plus

Whole plots (K test, previously N test until 1991)

1. **OLD RES** Residues of manures applied annually 1876 – 1901:

Main Plot

02	O	None
04	D	Farmyard manure at 35 t (fresh weight)
06	N*	96 kg N as nitrate of soda
10	PK	34 kg P as superphosphate, 137 kg K as sulphate of potash
08	N*PK	N, P and K as above

This work is licensed under a Creative Commons Attribution 4.0 International License.

2. K Potassium applied annually from 2007 as muriate of potash

O	None (2 sub-plots within each treatment strip)
K1	75 kg K_2O (62.2 kg K)
K2	150 kg K_2O (124.5 kg K)

Whole plots

Nitrogen: 50 kg N as ammonium sulphate (21% N, 24% S; to supply sufficient S) during first two weeks in March, 200 kg N as ammonium nitrate (34.5% N) at GS31/mid-April (whichever comes first) and 50 kg N as ammonium nitrate (34.5% N) at GS37 (not later than mid-May).

Experimental Diary

Date		Application	Rate	Unit
08/09/2021	f	Applied using Cascade Spreader, JD6830: Triple Superphosphate (TSP); Plots 021-024, 041-044, 061-064, 081-084, 101-104, 011-012, 031-032, 051-052, 071-072, 091-092.	75	kg/ha
09/09/2021	f	Applied using Cascade Spreader, JD6830: Muriate of Potash (MOP); Plots 023, 043, 063, 083, 103	125	kg/ha
09/09/2021	f	Applied using Cascade Spreader, JD6830: Muriate of Potash (MOP); Plots 011-014, 031-034, 051-054, 071-074, 091-094, 024, 044, 064, 084, 104	250	kg/ha
09/09/2021	a	Ploughed using KV Five Furrow Plough, JD6145R Premium	-	-
16/09/2021	a	Ploughed using KV Five Furrow Plough, JD6145R Premium	-	-
16/09/2021	s	Drilled using Accord Combination Drill No. 4, JD6830: KWS Zyatt	350	seeds/m2
18/09/2021	p	Sprayed using Knight 24m Sprayer, NH T6030: Pontos (17811)	1	L/ha
18/09/2021	p	Sprayed using Knight 24m Sprayer, NH T6030: Firestarter (18422)	0.3	L/ha
18/09/2021	p	Sprayed using Knight 24m Sprayer, NH T6030: Velomax (A0831)	0.4	L/ha
11/10/2021	p	Sprayed using Knight 24m Sprayer, NH T6030: Hallmark with Zeon Technology (12629)	50	mL/ha
22/03/2022	f	Applied using Cascade Spreader, JD6830: Sulphate of Ammonia; All Plots	238	kg/ha
29/03/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Stefes CCC 720 (17731)	1	L/ha
29/03/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Moddus (15151)	0.1	L/ha
29/03/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Clayton Prius (18946)	1	L/ha
20/04/2022	f	Applied using Cascade Spreader, JD6830: Kieserite; All Plots	80	kg/ha
25/04/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Bugle (17821)	0.8	L/ha
25/04/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Cello (18290)	0.7	L/ha
27/04/2022	f	Applied using Cascade Spreader, JD6830: Nitram	580	kg/ha
16/05/2022	f	Applied using Cascade Spreader, JD6830: Nitram	145	kg/ha
07/06/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Cello (18290)	0.8	L/ha
28/07/2022	a	Harvest plots using Haldrup C-85 2m cut	-	-
29/07/2022	a	Topped using Kilworth Topper, Iseki ISTH4335	-	-
30/07/2022	a	Bailed discards using McHale Fusion 2 Baler, JD6145R Premium	-	-
04/08/2022	a	Bailed using McHale Fusion 2 Baler, JD6145R Premium	-	-
31/08/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Samurai (16238)	3	L/ha
31/08/2022	p	Sprayed using Knight 24m Sprayer, NH T6030: Buffalo Elite (16238)	1	L/ha

This work is licensed under a Creative Commons Attribution 4.0 International License.

Yields

P TEST

Grain Yield, tonnes/hectare

Tables of means

P_RES current OLD_RES	O P0	(P1) P0	(P2) P	(P3) P	Mean
O	0.97	2.28	5.77	7.37	4.10
D	1.19	5.06	9.41	9.34	6.25
N	0.45	2.09	6.60	7.78	4.23
P	1.12	4.57	9.44	9.23	6.09
NPKNAMG	0.80	4.49	9.10	9.30	5.92
Mean	**0.91**	**3.70**	**8.06**	**8.60**	**5.32**
Grain mean DM%	88.9				

Straw Yield, tonnes/hectare

Tables of means

P_RES current OLD_RES	O P0	(P1) P0	(P2) P	(P3) P	Mean
O	0.44	0.56	3.27	4.51	2.20
D	0.36	2.75	4.03	3.54	2.67
N	0.04	1.10	1.59	3.39	1.53
P	1.61	1.80	3.39	3.57	2.59
NPKNAMG	1.18	2.68	3.14	3.44	2.61
Mean	**0.72**	**1.78**	**3.08**	**3.69**	**2.32**
Straw mean DM%	85.9				

Plot area harvested 0.00512 ha.

This work is licensed under a Creative Commons Attribution 4.0 International License.

K TEST

Grain Yield, tonnes/hectare

Tables of means

K_Test	K0	K1	K2	Mean
OLD_RES				
O	7.22	9.16	9.16	8.19
D	7.83	10.65	9.77	9.02
N*	7.79	8.19	7.77	7.88
PK	9.18	9.59	9.81	9.44
N*PK	8.28	9.17	9.61	8.83
Mean	**8.06**	**9.35**	**9.23**	**8.67**
Grain mean DM%	89.3			

Straw Yield, tonnes/hectare

Tables of means

K_Test	K0	K1	K2	Mean
OLD_RES				
O	3.20	4.81	3.53	3.69
D	2.82	4.40	3.68	3.43
N*	3.27	3.28	2.61	3.11
PK	4.27	3.72	5.49	4.44
N*PK	4.10	3.50	4.76	4.12
Mean	**3.53**	**3.94**	**4.01**	**3.75**
Straw mean DM%	86.4			

Plot area harvested 0.00512 ha