


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1957

[Full Table of Content](#)



57/R/CA/1 Winter Wheat - Control of Bulb Fly (Insecticides)

Rothamsted Research

Rothamsted Research (1958) *57/R/CA/1 Winter Wheat - Control of Bulb Fly (Insecticides)* ; Yields Of The Field Experiments 1957, pp 69 - 69 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Ca/1

WINTER WHEAT

Control of wheat bulb fly by insecticides - Pennell's Piece 1957.

Design: 4 randomized blocks of 7 plots each.

Area of each plot: 0.0064 acres.

Treatments: Insecticides (per acre):-

None	(0)
4% Dieldrin dust, 1 cwt broadcast in late December	(1)
4% Dieldrin dust, 1 cwt broadcast in early February	(2)
4% Dieldrin dust, 1 cwt combine drilled with seed	(3)
1½% Dieldrin dust, 1 cwt combine drilled with seed	(4)
1½% Aldrin dust, 1 cwt combine drilled with seed	(5)
1.2% Dieldrin granules, 1.5 cwt combine drilled with seed	(6)

Basal dressing: 3 cwt 'Nitro-Chalk' per acre.

Note: all seed dressed with organo-mercurial fungicide.

Cultivations, etc.: Ploughed: Oct 10, 1956. Seed drilled at 2 bushels per acre: Nov 5. Dieldrin dust broadcast: Treatment '1' plots - Dec 18, treatment '2' plots - Feb 16. 'Nitro-Chalk' applied: Apr 27. Combine harvested: Aug 24. Variety: Cappelle. Previous crop: Bare fallow.

Counts were made of numbers of plants, tillers, damaged tillers and of wheat bulb fly larvae.

Standard error per plot.

Grain (at 85% dry matter): 3.34 cwt per acre or 6.4% (17 d.f.)

Note. The yields have been adjusted for a linear fertility trend along the blocks.

Summary of Results

Grain (at 85% dry matter): cwt per acre

	Insecticides							Mean
	0	1	2	3	4	5	6	
Mean (±1.67)	50.7	53.7	50.7	52.1	53.0	51.9	51.0	51.9
Increase (±2.36)		3.0	0.0	1.4	2.3	1.2	0.3	

Mean dry matter % as harvested: 82.9