


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1957

[Full Table of Content](#)



57/R/CA/3 Spring Wheat - Control of Take-all and Weeds

Rothamsted Research

Rothamsted Research (1958) *57/R/CA/3 Spring Wheat - Control of Take-all and Weeds ; Yields Of The Field Experiments 1957*, pp 71 - 71 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Ca/3

SPRING WHEAT

Take-All (*Ophiobolus graminis*) and weed control - Highfield 1957.

Design: 4 randomized blocks of 3 plots each, plots being split into 3 for treatment crops in 1956.

Area of each sub plot: 0.0069 acres.

Treatments:

Whole plots. To 1957 wheat: None; hand hoed; sprayed with 4-chloro-2 methyl phenoxy propionic acid (MCPP) at 6 pints per acre.

Sub plots. Treatment crops 1956: Wheat (Cappelle); oats (S.172); $\frac{1}{2}$ wheat $\frac{1}{2}$ oats; all at 4 bushels per acre.

Basal dressing: $2\frac{1}{2}$ cwt compound fertilizer (12% N, 9% P_2O_5 , 9% K_2O) per acre, combine drilled with seed.

Cultivations, etc.: Ploughed: Oct 19, 1956 and again Jan 19, 1957.

Seed combine drilled at $3\frac{1}{2}$ bushels per acre: Mar 19. Sprayed 'S' plots with MCPP at 6 pints in 40 gallons per acre: May 23.

Combine harvested: Aug 27. Variety: Koga II.

Standard errors per plot, Grain (at 85% dry matter):

Whole plot: 1.28 cwt per acre or 4.0% (6 d.f.)

Sub plot: 0.75 cwt per acre or 2.3% (18 d.f.)

Summary of Results

Grain (at 85% dry matter): cwt per acre

Treatments to 1957 wheat	Crop in 1956			Mean
	Wheat	Oats	$\frac{1}{2}$ wheat $\frac{1}{2}$ oats	
	(1) and (2)			(± 0.63)
None	31.1	34.3	31.3	32.2
Hand hoed	30.9	33.7	31.0	31.9
Sprayed	31.8	35.6	32.8	33.4
Mean (± 0.21)	31.3	34.5	31.7	32.4

(1) ± 0.37 for use in horizontal comparisons only.

(2) ± 0.71 for use in all other comparisons.

Mean dry matter % as harvested: 81.6

Note. Counts of plant and ear numbers, and estimates of incidence of Take-All and weeds were made.