


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1957

[Full Table of Content](#)



57/R/CB/1 Barley - N P and Residual Dung N P K

Rothamsted Research

Rothamsted Research (1958) *57/R/CB/1 Barley - N P and Residual Dung N P K ; Yields Of The Field Experiments 1957*, pp 76 - 77 - DOI: <https://doi.org/10.23637/ERADOC-1-177>

57/Cb/1.2

Summary of Results

Grain (at 85% dry matter): cwt per acre

		Dung to potatoes 1956: tons per acre				Mean
		None	5	10	20	
Mean	(± 0.39)	40.0	41.5	41.6	42.4	41.4
<u>Applied to potatoes 1956</u>						
N: cwt per acre						
None		39.4	41.7	41.5	42.2	41.2
0.9	(± 0.55)	40.7	41.3	41.7	42.6	41.6
Diff.	(± 0.78)	+1.3	-0.4	+0.2	+0.4	+0.4 (± 0.39)
P ₂ O ₅ : cwt per acre						
None		39.2	40.8	40.7	41.9	40.7
0.75	(± 0.55)	40.9	42.3	42.5	42.8	42.1
Diff.	(± 0.78)	+1.7	+1.5	+1.8	+0.9	+1.4 (± 0.39)
K ₂ O: cwt per acre						
None		40.7	41.5	41.2	42.4	41.5
1.5	(± 0.55)	39.4	41.6	41.9	42.3	41.3
Diff.	(± 0.78)	-1.3	+0.1	+0.7	-0.1	-0.2 (± 0.39)
<u>Applied to barley 1957</u>						
N: cwt per acre						
None		40.2	42.0	41.7	42.3	41.6
0.4	(± 0.55)	39.9	41.1	41.4	42.4	41.2
Diff.	(± 0.78)	-0.3	-0.9	-0.3	+0.1	-0.4 (± 0.39)
P ₂ O ₅ : cwt per acre						
None		39.0	40.4	40.8	42.6	40.7
0.4	(± 0.55)	41.1	42.6	42.4	42.2	42.1
Diff.	(± 0.78)	+2.1	+2.2	+1.6	-0.4	+1.4 (± 0.39)

57/Cb/1.3

Grain (at 85% dry matter): cwt per acre

Responses to treatments										
Applied to potatoes 1956						Applied to barley 1957				
Response to	N		P ₂ O ₅		K ₂ O		N		P ₂ O ₅	
	None	0.9	None	0.75	None	1.5	None	0.4	None	0.4
(±0.55)										
<u>Applied to potatoes 1956</u>										
N	-	-	+0.2	+0.6	-0.3	+1.1	+0.5	+0.3	+1.0	-0.2
P ₂ O ₅	+1.3	+1.7	-	-	+1.8	+1.2	+0.8	+2.2	+2.0	+1.0
K ₂ O	-0.8	+0.6	+0.2	-0.4	-	-	-0.4	+0.2	-0.1	-0.1
<u>Applied to barley 1957</u>										
N	-0.3	-0.5	-1.1	+0.3	-0.7	-0.1	-	-	-0.3	-0.5
P ₂ O ₅	+2.0	+0.8	+1.9	+0.9	+1.4	+1.4	+1.5	+1.3	-	-

Mean dry matter % as harvested: 85.4