


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1957

[Full Table of Content](#)



57/R/CE/3 and 57/W/CE/3 Beans - Autumn and Spring Sowing , Spraying P and K

Rothamsted Research

Rothamsted Research (1958) *57/R/CE/3 and 57/W/CE/3 Beans - Autumn and Spring Sowing , Spraying P and K* ; Yields Of The Field Experiments 1957, pp 92 - 93 - DOI:
<https://doi.org/10.23637/ERADOC-1-177>

57/Ce/3.1

BEANS

Time of sowing, spraying, P and K - Rothamsted (R) Great Harpenden II and Woburn (W) Warren Field N 1957.

Design: 3 blocks of 4 whole plots each split into 3, with spraying on pairs of whole plots and PK partially confounded.

Area of each sub plot (each field): 0.0337 acres. Area harvested: 0.0105 acres.

Treatments: All combinations of:-

Time of sowing: Autumn; spring.

Spray: None; Methyl demeton at 12 fluid oz., 50% active ingredient in 60 gallons per acre.

Phosphate: None; 0.5; 1.0 cwt P_2O_5 per acre as superphosphate.

Potash: None; 1.0; 2.0 cwt K_2O per acre as muriate of potash.

Basal dressing: None.

Cultivations, etc.:

Rothamsted. Ploughed: Oct 20, 1956. Fertilizers applied for autumn beans, seed drilled at 295 lb per acre: Nov 13.

Fertilizers applied for spring beans, seed drilled at 150 lb per acre: Mar 5, 1957. Spring beans sprayed with miscible DDT, 3 pints in 20 gallons per acre: May 29. Appropriate plots sprayed with methyl demeton (Metasystox): Autumn sown - June 7, spring sown - June 13. Combine harvested: Aug 29. Variety: Autumn - S.Q. Giant, spring - Albyn Tick. Previous crop: Oats.

Woburn. Ploughed: Nov 12, 1956. Fertilizers applied for autumn beans: Nov 13. Seed drilled at 295 lb per acre: Nov 20.

Ploughed "spring sown" plots: Jan 24, 1957. Fertilizers applied for spring beans, seed drilled at 150 lb per acre: Mar 14. Appropriate plots sprayed with methyl demeton (Metasystox): June 12. Combine harvested: Autumn sown - Aug 8, spring sown - Aug 21. Variety: Autumn - S.Q. Giant, spring - Albyn Tick. Previous crop: Potatoes.

Standard errors per plot, (Grain at 85% dry matter): cwt per acre.

Great Harpenden II (R)

Whole plot: 1.13 cwt per acre or 4.9% (4 d.f.)

Sub plot: 2.01 cwt per acre or 8.6% (12 d.f.)

Warren Field N (W)

Whole plot: 1.49 cwt per acre or 10.5% (4 d.f.)

Sub plot: 3.22 cwt per acre or 22.7% (12 d.f.)

57/Ce/3.2

Summary of Results

Grain (at 85% dry matter): cwt per acre											
Sown				P ₂ O ₅ : cwt per acre			K ₂ O: cwt per acre			Mean	
Autumn	Spring	Diff.		None	0.5	1.0	None	1.0	2.0		
Great Harpenden II, Rothamsted											
				(±0.82)*			(±0.82)*				
None	32.4	7.6	-24.8	19.4	20.9	19.8	18.5	20.6	20.9	20.0	
'Metasystox'	34.3	18.7	-15.6	26.5	26.5	26.5	25.0	27.9	26.7	26.5	
Diff.	+1.9	+11.1	+ 9.2 (±1.14)	+7.1	+5.6	+6.7 (±1.16)**	+6.5	+7.3	+5.8 (±1.16)**	+6.5	
Sown				(1) & (2)			(1) & (2)				
Autumn				33.1	33.5	33.4	31.4	34.3	34.4	33.3	
Spring				12.7	14.0	12.9	12.1	14.2	13.2	13.2	
Mean (±0.58)				22.9	23.7	23.1	21.7	24.3	23.8	23.3	
Diff. (±1.15)**				-20.4	-9.5	-20.5	-19.3	-20.1	-21.2	-20.15 (±0.65)	

Mean dry matter % as harvested: Autumn sown, 82.4; spring sown, 75.4

(1) ±0.81 for use in diagonal comparisons only.

(2) ±0.82 for use in horizontal and interaction comparisons only.

Warren Field N, Woburn

<u>Spray</u>				(± 1.31)*			(± 1.31)*			
None	16.9	8.0	- 8.9	13.4	11.2	12.7	11.7	14.5	11.1	12.4
'Metasystox'	23.3	8.7	-14.6	16.7	15.5	15.8	13.6	16.3	18.1	16.0
Diff.	+6.4	+0.7	- 5.7 (± 1.72)	+3.3	+4.3	+3.1 (± 1.86)**	+1.9	+1.8	+7.0 (± 1.86)**	+3.6
<u>Sown</u>	(1) & (2)									
Autumn				21.2	18.5	20.5	17.2	22.2	20.7	20.1
Spring				8.9	8.2	7.9	8.1	8.5	8.4	8.3
Mean (± 0.93)				15.0	13.4	14.2	12.6	15.4	14.6	14.2
Diff. (± 1.74)**				-12.3	-10.3	-12.6	-9.1	-13.7	-12.3	-11.8 (± 0.86)

Mean dry matter % as harvested: Autumn sown, 79.5; spring sown, 71.5

(1) ±1.23 for use in diagonal comparisons only.

(2) ±1.31 for use in horizontal and interaction comparisons only.

* For use in horizontal comparisons only.

** For use only in testing the difference of two differences.