


Thank you for using eradoc, a platform to publish electronic copies of the Rothamsted Documents. Your requested document has been scanned from original documents. If you find this document is not readable, or you suspect there are some problems, please let us know and we will correct that.



ROTHAMSTED
RESEARCH

Yields of the Field Experiments 1949

[Full Table of Content](#)



49/A/6 Hoosfield - Exhaustion Land

49/A/6 Hoosfield - Exhaustion Land, Rothamsted Research (1950) Yields Of The Field Experiments 1949, pp 11 - 11

49/A/6

BARLEY - EXHAUSTION LAND HOOSFIELD 1949

For history of this land see 1949 Station Report, pp.97-8

Cultivations, etc.: Ploughed: Jan 3-10. Springtined: Mar 22.
Drilled: Mar 23. Sulphate of ammonia applied, harrowed
in: Mar 24. Rolled: Apr 1. Harvested: Aug 9. Variety:
Plumage Archer.

Basal Manuring: $2\frac{1}{2}$ cwt sulphate of ammonia per acre.

Plot	Treatment for potatoes 1876-1901	Total Grain cwt per acre	Total straw cwt per acre
1	Unmanured	7.6	8.3
2	Dung 1876 - 82	10.0	12.5
3	Superphosphate and Dung	26.8	28.9
4	Superphosphate ⁽¹⁾ Nitrate of Soda ⁽²⁾ and Dung	25.9	28.8
5	Ammonium Salts	8.7	11.9
6	Nitrate of Soda	13.0	15.9
7	Minerals and Ammonium Salts	23.0	21.8
8	Minerals (as in 7) and Nitrate of Soda	27.9	25.0
9	Superphosphate	23.4	22.6
10	Minerals (as in 7)	27.0	29.7

(1) 1876-82

(2) 1876-81

Note: On plots 1, 5, 7, 10 the manuring dates back to 1856,
the plots being under Wheat from 1856-74.

Rates of application of manures, per acre: Dung, 14 tons.

Superphosphate, $3\frac{1}{2}$ cwt. Nitrate of soda, 550 lb.

Ammonium Salts, 400 lb. Minerals consist of Superphosphate,
 $3\frac{1}{2}$ cwt; sulphate of potash, 300 lb.; sulphate of soda,
100 lb.; sulphate of magnesia, 100 lb.